APPLICATION SOFTWARE BUNDLES

FOR 4, 5 & 6 SERIES MSOs





Application Bundles

MONEY SAVING BUNDLES FOR THE 4, 5 AND 6 SERIES MSOs

Application bundles are a great alternative to purchasing individual options, especially if you plan to address diverse applications with your oscilloscope. Compared to individual options, these specially designed bundles:

- Offer better value with more functions at a much lower cost than equivalent individual options
- Make it cost-effective to purchase capabilities to cover future needs or needs across engineering teams
- Include the most frequently combined options for key applications and industries
- Provide flexibility to adjust year-to-year with lower cost 1-year subscriptions

Three Levels of Application Bundles

Starter Bundle

These bundles add capabilities that almost all engineers need for embedded systems design.

4, 5 or 6 Series MSOs equipped with a Starter Bundle (for example, 4-STARTER-PER) will be able to decode and trigger on I²C, SPI, RS-232/422/485/UART bus activity. Includes an integrated arbitrary/function generator with 13 predefined functions and arbitrary waveforms.

Pro Bundles

Specially designed to empower engineers in particular applications and industries. See pages 4 through 9 for details on specific bundles

Any Pro Bundle includes the capabilities enabled with the **Starter Bundle** + **Extended record length** to help you take better advantage of advanced analysis capabilities.

Serial Decode (4, 5, 6 Series)	Power (4, 5, 6 Series)	Signal Integrity (5, 6 Series)	Standards Compliance (5, 6 Series)	Automotive (4, 5, 6 Series)	Aerospace (4, 5, 6 Series)
A comprehensive kit of serial protocol support for embedded systems. Elminates the need to decode by hand.	Automates a wide range of power measurements – from the AC line to point of load.	Essential tools for engineers analyzing jitter and signal integrity of high- speed clocks and data lines.	Comprehensive test automation with full instrument control and reporting for testing to the leading serial standards.	For ECU designers – decoding for automotive protocols, and automated compliance testing for key communications standards.	Serial bus decoding for key aerospace protocols and mask testing for testing unique signals.

Ultimate Bundle

Everything listed above for the most capabilities and highest savings.

All of the capabilities of the Starter Bundle + All capabilties of ALL Pro Bundles.

Spectrum View RF vs. time waveforms + Extended Spectrum View capture bandwidth.

Video triggering.


Maximum available record length for the 5 and 6 Series MSOs.

LICENSE CHOICES TO FIT YOUR NEEDS

1-year time-based License	This low-cost alternative lets you use the software for 1 year. Software updates and support are included. When the license expires a new license may be purchased.		
Perpetual License	Use the software indefinitely. The license does not expire and includes updates/support for the first 12-months.		
Maintenance License	Maintenance licences may be added to a perpetual license and extends the period of support of an original perpetual license for 12 months.		

Pro Bundle I SERIAL DECODE

A comprehensive kit of serial protocol support for embedded systems. These options automate bus decoding, eliminating the chore of hand decoding. Search capability makes it easy to zero in on specific bus activity.




Automated serial decoding provides system-level visibilty without hand decoding.

Included	Description	4 Series MS0	5 Series MS0	6 Series MS0
Starter Bundle	Embedded serial decode/trigger and integrated AFG (See page 3 for details.)	•	•	•
4-RL-1	Extend record length to 62.5 million sample points per channel			
5-RL-125M	Extend record length to 125 million sample points per channel			
6-RL-2	Extend record length to 250 million sample points per channel			
SR8B10B	8B10B serial decoding and analysis			
SRAUDIO 🗎	Audio serial triggering and analysis (I2S, LJ, RJ, TDM)			
SRAUTO 🖺	Automotive serial triggering and analysis (CAN, CAN FD, LIN, FlexRay)			
SRCPHY 🗎	MIPI C-PHY X.X (CSI-2/DSI-2) serial decoding and analysis			
SRDPHY 🗎	MIPI D-PHY 1.2 (CSI/DSI) decoding and analysis			
SRENET 🗎	Ethernet serial triggering and analysis (10BASE-T, 100BASE-T)			
SREUSB2	eUSB 2.0 serial decoding and analysis			
SRI3C	I3C serial decoding and analysis			
SRMANCH 🗎	Manchester serial decoding and analysis			
SRMDIO 🗎	MDIO serial decoding and analysis			
SRNRZ 🗎	NRZ serial decoding and analysis			
SRONEWIRE	1-Wire serial decoding and analysis			•
SRPM 🖺	Power Management serial triggering and analysis (SPMI)			
SRSDLC 🗎	SDLC Serial decoding and analysis			
SRSVID 🖺	SVID decoding and analysis			
SRUSB2	USB 2.0 serial triggering and analysis (LS, FS, HS)			
	1 YR Licenses	4-PRO-SERIAL-1Y	5-PRO-SERIAL-1Y	6-PRO-SERIAL-1Y
	Perpetual Licences	4-PRO-SERIAL-PER	5-PRO-SERIAL-PER	6-PRO-SERIAL-PER

Pro Bundle | POWER

Automates a wide range of power measurements - from the AC line to point of load. Also includes decoding for popular power management buses.






Automate common measurements such as true power, apparent power, reactive power, power factor and many more.


 ${\bf 5}$ and ${\bf 6}$ Series MSOs support advanced 3-phase motor drive analysis.

Included	Description	4 Series MS0	5 Series MS0	6 Series MS0
Starter Bundle	Embedded serial decode/trigger and integrated AFG (See page 3 for details.)	•	•	•
4-RL-1	Extend record length to 62.5 million sample points per channel			
5-RL-125M	Extend record length to 125 million sample points per channel		•	
6-RL-2	Extend record length to 250 million sample points per channel			
3PHASE	3-Phase power analysis	•		
DPM 🖺	Digital power management and analysis		•	
IMDA 🖺	3-Phase inverters, motors and drives analysis		•	
IMDA-DQ0	DQ0 measurements for IMDA		•	
PWR 🖺	Advanced power measurements and analysis (includes PSRR, control loop analysis & impedence measurement)	•	•	•
SRPM 🗎	SPMI serial bus triggering and analysis	•	•	
SRSVID 🖺	SVID serial bus decoding and analysis	•		
	1 YR Licenses	4-PRO-POWER-1Y	5-PRO-POWER-1Y	6-PRO-POWER-1Y
	Perpetual Licences	4-PR0-POWER-PER	5-PRO-POWER-PER	6-PRO-POWER-PER

Pro Bundle | SIGNAL INTEGRITY

Essential tools for engineers validating and troubleshooting high-speed clocks and data lines. Quickly measure and deconstruct jitter. Automatically evaluate signal shapes and measurement limits with mask and limit testing.





Get a fast overview of jitter with the jitter summary measurement.

Mask and limit tests automate pass / fail signal testing.

Included	Description	5 Series MS0	6 Series MS0
Starter Bundle	Embedded serial decode/trigger and integrated AFG (See page 3 for details.)	•	•
5-RL-125M	Extend record length to 125 million sample points per channel		
6-RL-2	Extend record length to 250 million sample points per channel		
DBDDR3	DDR3/LPDDR3 analysis and debug solution		•
DBLVDS 🗎	Automated LVDS test solution*	•	•
DJA 🗎	Advanced jitter analysis	•	•
MTM	Mask and limit testing	•	•
РАМЗ 🗎	PAM3 signal analysis*	•	•
	1 YR Licenses	5-PRO-SIGNAL-1Y	6-PRO-SIGNAL-1Y
	Perpetual Licences	5-PRO-SIGNAL-PER	6-PRO-SIGNAL-PER

^{*}Requires optional solid-state drive with Windows operating system (5-WIN / 6-WIN)

Pro Bundle | STANDARDS COMPLIANCE

Includes all currently available compliance options for your Windows®-equipped 5 or 6 Series MSO. All standards use the TekExpress engine for flexible configuration, full instrument control, informative prompts and comprehensive reporting.



Run all tests specified in the standard, or selected tests. Automatic report generation gives you a jump on documentation.


Included	Description	5 Series MS0	6 Series MS0
Starter Bundle	Embedded serial decode/trigger and integrated AFG (See page 3 for details.)	•	•
5-RL-125M	Extend record length to 125 million sample points per channel	•	
6-RL-2	Extend record length to 250 million sample points per channel		•
CMDPHY21	MIPI D-PHY 2.1 conformance testing		
CMENET 🖺	Ethernet (10/100/1000BASE-T) compliance testing*	•	•
CMENETML 🖺	Multilane Ethernet (10BASE-T, 100BASE-T, 1000BASE-T) option for CMENET*	•	•
CMINDUEN10	Industrial Ethernet (10BASE-T1L Long reach) automated compliance testing*	•	•
CMUSB2	USB2 automated compliance testing*	•	
CMDDR3	DDR3 automated compliance testing*		
CMDPHY 🖺	D-PHY-Tx 1.2 automated compliance testing*		
CMNBASET 🖺	NBASE-T automated compliance testing*		
CMXGBT 🖺	XGbT automated compliance testing*		
DBDDR3	DDR3/LPDDR3 analysis and debug*		
	1 YR Licenses	5-PRO-COMPL-1Y	6-PRO-COMPL-1Y
	Perpetual Licences	5-PR0-COMPL-PER	6-PR0-COMPL-PER

^{*}Requires optional solid-state drive with Windows operating system (5-WIN / 6-WIN)

Pro Bundle | AUTOMOTIVE

Especially for ECU designers, this bundle provides outstanding system visibility for validations and troubleshooting. It includes support for important automotive protocols, and serial standards compliance testing and debugging.





Automated decoding and triggering speeds debug.

Unique signal separation for Automotive Ethernet on 5 & 6 Series MSOs.

Included	Description	4 Series MS0	5 Series MS0	6 Series MS0
Starter Bundle	Embedded serial decode/trigger and integrated AFG (See page 3 for details.)	•	•	•
4-RL-1	Extend record length to 62.5 million sample points per channel			
5-RL-125M	Extend record length to 125 million sample points per channel		•	
6-RL-2	Extend record length to 250 million sample points per channel			
AUTOEN-SS	Signal separation for 100BASE-T1 and 1000BASE-T1 signals*		•	
CMAUTOEN 🖺	Automotive Ethernet (100BASE-T1, 1000BASE-T1) automated compliance testing*		•	
CMAUTOEN10	Automotive Ethernet (10BASE-T1S Short Reach) automated compliance testing*		•	
CMDPHY 🗎	D-PHY-Tx 1.2 automated compliance testing*			
CMDPHY21	MIPI D-PHY 2.1 conformance testing			•
DJA 🗎	Advanced jitter analysis		•	•
IMDA 🗎	3-phase inverters, motors and drives analysis			
IMDA-DQ0	DQ0 measurements for IMDA		•	•
РАМЗ 🖺	PAM3 signal analysis*		•	•
SRAUTO 🖺	Automotive serial triggering and analysis (CAN, CAN FD, LIN, FlexRay)		•	•
SRAUTOEN1	100BASE-T1 protocol decode		•	•
SRAUTOSEN 🖺	SENT serial decoding and analysis		•	
SRI3C	I3C serial decoding and analysis	•	•	•
SRNRZ 🖺	NRZ serial decoding and analysis	•	•	
PSI5	PSI5 serial triggering and analysis	•	•	
	1 YR Licenses	4-PRO-AUTO-1Y	5-PRO-AUTO-1Y	6-PRO-AUTO-1Y
	Perpetual Licences	4-PRO-AUTO-PER	5-PRO-AUTO-PER	6-PRO-AUTO-PER

Pro Bundle | AEROSPACE

Includes serial bus decoding for protocols used in the aerospace industry, as well as support for generic encoding schemes such as NRZ and Manchester. Mask and limit testing make it easy to automate testing of unique signals.



Gain fast visibility into aerospace systems.

Included	Description	4 Series MS0	5 Series MS0	6 Series MS0
Starter Bundle	Embedded serial decode/trigger and integrated AFG (See page 3 for details.)	•	•	•
4-RL-1	Extend record length to 62.5 million sample points per channel			
5-RL-125M	Extend record length to 125 million sample points per channel			
6-RL-2	Extend record length to 250 million sample points per channel			
DJA 🖺	Advanced jitter analysis			
MTM	Mask and limit testing			
SRAERO 🗎	Aerospace serial bus triggering and analysis (MIL-STD-1553, ARINC 429)	•		•
SRMANCH 🗎	Manchester serial decoding and analysis			
SRNRZ 🗎	NRZ serial bus decoding and analysis	•		
SRSPACEWIRE	SpaceWire serial bus decoding and analysis			
	1 YR Licenses	4-PRO-MILGOV-1Y	5-PRO-MILGOV-1Y	6-PRO-MILGOV-1Y
	Perpetual Licences	4-PRO-MILGOV-PER	5-PRO-MILGOV-PER	6-PRO-MILGOV-PER

Ultimate Bundle

The Ultimate Bundle offers the most capabilities and the highest savings in a single package.

It includes:

- All the capabilities of the Starter Bundle, including embedded serial decode/trigger and integrated AFG
- All the capabilities of ALL Pro Bundles
- Increased record length on the 5 and 6 Series MSOs, 500 Mpoints on the 5 Series MSO or 1 Gpoints on the 6 Series MSO.
- · Wideband, synchronized spectrum analysis
 - · Spectrum View RF vs. time waveforms and triggering
 - Expanded spectrum capture bandwidth
- · Video triggering



Included	Description	4 Series MS0	5 Series MS0	6 Series MS0
Starter Bundle	4, 5 or 6 Series MSOs equipped with a Starter Bundle will be able to decode and trigger on I ² C, SPI, RS-232/422/485/UART bus activity. An integrated arbitrary/ function generator with 13 predefined functions and arbitrary waveforms are included.	•	•	•
	Serial Decode			
	Power	•		
ALL	Signal Integrity			
Pro Bundles	Standards Compliance			
	Automotive	•		
	Aerospace			
	Spectrum View RF vs Time waveforms and triggering	•	•	•
	Extended Spectrum View capture bandwidth	•	•	•
These Addional Features	Video triggering	•	•	•
	Extend record length to 500 Mpoints per channel		•	
	Extend record length to 1 Gpoints per channel			
	1 YR Licenses	4-ULTIMATE-1Y	5-ULTIMATE-1Y	6-ULTIMATE-1Y
	Perpetual Licences	4-ULTIMATE-PER	5-ULTIMATE-PER	6-ULTIMATE-PER

For more information, pricing, and to determine which Application Bundle is right for your needs **please contact your local Tektronix account manager**.

Contact Information

Australia* 1 800 709 465

Austria 00800 2255 4835

Balkans, Israel, South Africa and other ISE Countries +41 52 675 3777

Belgium* 00800 2255 4835

Brazil +55 (11) 3759 7627

Canada 1 800 833 9200

Central East Europe / Baltics +41 52 675 3777

Central Europe / Greece +41 52 675 3777

Denmark +45 80 88 1401

Finland +41 52 675 3777

France* 00800 2255 4835

Germany* 00800 2255 4835

Hong Kong 400 820 5835

India 000 800 650 1835

Indonesia 007 803 601 5249

Italy 00800 2255 4835

Japan 81 (3) 6714 3086

Luxembourg +41 52 675 3777

Malaysia 1 800 22 55835

Mexico, Central/South America and Caribbean 52 (55) 56 04 50 90

Middle East, Asia, and North Africa +41 52 675 3777

The Netherlands* 00800 2255 4835

New Zealand 0800 800 238

Norway 800 16098

People's Republic of China 400 820 5835

Philippines 1 800 1601 0077

Poland +41 52 675 3777

Portugal 80 08 12370

Republic of Korea +82 2 565 1455

Russia / CIS +7 (495) 6647564

Singapore 800 6011 473

South Africa +41 52 675 3777

Spain* 00800 2255 4835

Sweden* 00800 2255 4835

Switzerland* 00800 2255 4835

Taiwan 886 (2) 2656 6688

Thailand 1 800 011 931

United Kingdom / Ireland* 00800 2255 4835

USA 1 800 833 9200

Vietnam 12060128

* European toll-free number. If not accessible, call: +41 52 675 3777

Rev. 02.2018



