

Serial Support Using Oscilloscopes and Optional Software

SELECTION GUIDE



SERIAL SUPPORT BY MSO/DPO PRODUCT SERIES AND REQUIRED OPTIONAL SOFTWARE

		MSO/DPO7000C/DX Series			DPO7000C Series			
		Serial Standard	Decode & Search	Serial Trigger	Compliance Test	Decode & Search	Serial Trigger	Compliance Test
Embedded	I ² C		SR-EMBD	SR-EMBD	-	SR-EMBD	SR-EMBD	-
	SPI		SR-EMBD	SR-EMBD	-	SR-EMBD	SR-EMBD	-
	I3C		-	-	-	-	-	-
	RS-232/UART		SR-COMP	SR-COMP	-	SR-COMP	SR-COMP	-
	SPMI		-	-	-	-	-	-
	I ² S		-	-	-	-	-	-
Transportation	CAN		SR-AUTO	SR-AUTO	-	SR-AUTO	SR-AUTO	-
	CAN FD		-	-	-	-	-	-
	LIN		SR-AUTO	SR-AUTO	-	SR-AUTO	SR-AUTO	-
	FlexRay		SR-AUTO	SR-AUTO	-	SR-AUTO	SR-AUTO	-
	MOST		-	-	MOST	-	-	MOST
	SENT		-	-	-	-	-	-
	Automotive Ethernet		-	-	BRR	-	-	BRR
	ARINC 429		-	-	-	-	-	-
	MIL-STD-1553B		SR-AERO	SR-AERO	-	SR-AERO	SR-AERO	-
	Computer / Peripherals	USB 2.0		SR-USB	SR-USB (LS, FS)	USB2	SR-USB	SR-USB (LS, FS)
USB 3.0			SR-USB	-	USB3, TEKEXP Opt. USB-RMT, USB-TX	-	-	-
MIPI D-PHY			SR-DPHY	-	D-PHY, TEKEXP Opt. D-PHYTX	SR-DPHY	-	D-PHY TEKEXP Opt. D-PHYTX
MIPI M-PHY			-	-	M-PHY, M-PHYTX, M-PHYRX	-	-	-
PCIe			SR-PCIE	-	PCE3	SR-PCIE	-	-
DiVA			-	-	TEKEXP Opt. DIIVA	-	-	-
DisplayPort			-	-	DP12, TEKEXP Opt. DP-SINK	-	-	-
HDMI			-	-	HT3, HT3DS	-	-	-
MHL			-	-	MHD	-	-	-
SATA			-	-	SATA-RSG, SATA-TSG	-	-	-
SAS3			-	-	SAS3, SAS-TSG, SAS-TSGW	-	-	-
Thunderbolt			-	-	TBT-TX	-	-	-
UHS-II			-	-	UHS2	-	-	-
Memory	DDR		-	-	DDRA, DDR-LP4	-	-	DDRA
Datacom	Ethernet		SR-ENET	-	ET3, XBGT2, NBASET	SR-ENET	-	ET3, XBGT2, NBASET
	Comm. Mask Testing		-	-	MTH	-	-	MTM
	Fibre Channel		-	-	FC-16G	-	-	-
	10GBASE-T KR		-	-	10G-KR	-	-	-
	SFP+		-	-	SFP-TX, SFP-WDP	-	-	-
Advanced Analysis	Custom Serial		SR-CUST	-	-	SR-CUST	-	-
	8b/10b		SR-810B	-	-	SR-810B	-	-
	NRZ Serial		-	ST6G	-	-	ST1G	-
	PAM4		-	-	PAM4	-	-	-
	Serial Data Link Analysis		-	-	SDLA64	-	-	-
	Jitter & Eye Diagram Analysis		-	-	DJA (DJE incl. std), DJAN	-	-	DJA (DJE incl. std), DJAN

SERIAL SUPPORT BY MSO PRODUCT SERIES AND REQUIRED OPTIONAL SOFTWARE

		6 Series MSO			5 Series MSO			
		Serial Standard	Decode & Search	Serial Trigger	Compliance Test	Decode & Search	Serial Trigger	Compliance Test
Embedded	I ² C		6-SREMBD	6-SREMBD	-	5-SREMBD	5-SREMBD	-
	SPI		6-SREMBD	6-SREMBD	-	5-SREMBD	5-SREMBD	-
	I3C		6-SRI3C	-	-	5-SRI3C	-	-
	RS-232/UART		6-SRCOMP	6-SRCOMP	-	5-SRCOMP	5-SRCOMP	-
	SPMI		6-SRPM	6-SRPM	-	5-SRPM	5-SRPM	-
	I ² S		6-SRAUDIO	6-SRAUDIO	-	5-SRAUDIO	5-SRAUDIO	-
Transportation	CAN		6-SRAUTO	6-SRAUTO	-	5-SRAUTO	5-SRAUTO	-
	CAN FD		6-SRAUTO	6-SRAUTO	-	5-SRAUTO	5-SRAUTO	-
	LIN		6-SRAUTO	6-SRAUTO	-	5-SRAUTO	5-SRAUTO	-
	FlexRay		6-SRAUTO	6-SRAUTO	-	5-SRAUTO	5-SRAUTO	-
	MOST		-	-	-	-	-	-
	SENT		6-SRAUTOSEN	6-SRAUTOSEN	-	5-SRAUTOSEN	5-SRAUTOSEN	-
	Automotive Ethernet		-	-	6-CMAUTOEN	-	-	5-CMAUTOEN
	ARINC 429		6-SRAERO	6-SRAERO	-	5-SRAERO	5-SRAERO	-
	MIL-STD-1553B		6-SRAERO	6-SRAERO	-	5-SRAERO	5-SRAERO	-
Computer / Peripherals	USB 2.0		6-SRUSB2	6-SRUSB2	6-CMUSB2	5-SRUSB2	5-SRUSB2	5-CMUSB2
	USB 3.0		-	-	-	-	-	-
	MIPI D-PHY		-	-	6-CMDPHY	-	-	-
	MIPI M-PHY		-	-	-	-	-	-
	PCIe		-	-	-	-	-	-
	DiiVA		-	-	-	-	-	-
	DisplayPort		-	-	-	-	-	-
	HDMI		-	-	-	-	-	-
	MHL		-	-	-	-	-	-
	SATA		-	-	-	-	-	-
	SAS3		-	-	-	-	-	-
	Thunderbolt		-	-	-	-	-	-
UHS-II		-	-	-	-	-	-	
Memory	DDR		-	-	6-DBDDR3 (DDR3 debug and analysis), 6-CMDDR3	-	-	-
Datacom	Ethernet		6-SRENET	6-SRENET	6-CMENET, 6-CMNBASET, 6-CMXGBT	5-SRENET	5-SRENET	5-CMENET
	Comm. Mask Testing		-	-	-	-	-	-
	Fibre Channel		-	-	-	-	-	-
	10GBASE-T KR		-	-	-	-	-	-
	SFP+		-	-	-	-	-	-
Advanced Analysis	Custom Serial		-	-	-	-	-	-
	8b/10b		-	-	-	-	-	-
	NRZ Serial		-	-	-	-	-	-
	PAM4		-	-	-	-	-	-
	Serial Data Link Analysis		-	-	-	-	-	-
	Jitter & Eye Diagram Analysis		-	-	6-DJA	-	-	5-DJA

SERIAL SUPPORT BY MSO/MDO PRODUCT SERIES AND REQUIRED OPTIONAL SOFTWARE

		4 Series MSO			MDO4000C Series			
		Serial Standard	Decode & Search	Serial Trigger	Compliance Test	Decode & Search	Serial Trigger	Compliance Test
Embedded	I ² C		4-SREMBD	4-SREMBD	-	DPO4EMBD	DPO4EMBD	-
	SPI		4-SREMBD	4-SREMBD	-	DPO4EMBD	DPO4EMBD	-
	I3C		4-SRI3C	-	-	-	-	-
	RS-232/UART		4-SRCOMP	4-SRCOMP	-	DPO4COMP	DPO4COMP	-
	SPMI		4-SRPM	4-SRPM	-	-	-	-
	I ² S		4-SRAUDIO	4-SRAUDIO	-	DPO4AUDIO	DPO4AUDIO	-
Transportation	CAN		4-SRAUTO	4-SRAUTO	-	DPO4AUTO	DPO4AUTO	-
	CAN FD		4-SRAUTO	4-SRAUTO	-	DPO4AUTO	DPO4AUTO	-
	LIN		4-SRAUTO	4-SRAUTO	-	DPO4AUTO	DPO4AUTO	-
	FlexRay		4-SRAUTO	4-SRAUTO	-	DPO4AUTOMAX	DPO4AUTOMAX	-
	MOST		-	-	-	-	-	-
	SENT		4-SRAUTOSEN	4-SRAUTOSEN	-	-	-	-
	Automotive Ethernet		-	-	-	-	-	-
	ARINC 429		4-SRAERO	4-SRAERO	-	DPO4AERO	DPO4AERO	-
	MIL-STD-1553B		4-SRAERO	4-SRAERO	-	DPO4AERO	DPO4AERO	-
						DPO4USB	DPO4USB	-
Computer / Peripherals	USB 2.0		4-SRUSB2	4-SRUSB2	-	-	-	-
	USB 3.0		-	-	-	-	-	-
	MIPI D-PHY		-	-	-	-	-	-
	MIPI M-PHY		-	-	-	-	-	-
	PCIe		-	-	-	-	-	-
	DiiVA		-	-	-	-	-	-
	DisplayPort		-	-	-	-	-	-
	HDMI		-	-	-	-	-	-
	MHL		-	-	-	-	-	-
	SATA		-	-	-	-	-	-
	SAS3		-	-	-	-	-	-
	Thunderbolt		-	-	-	-	-	-
	UHS-II		-	-	-	-	-	-
	Memory	DDR		-	-	-	-	-
Datacom	Ethernet		4-SRENET	4-SRENET	-	DPO4ENET	DPO4ENET	-
	Comm. Mask Testing		-	-	-	-	-	DPO4LMT
	Fibre Channel		-	-	-	-	-	-
	10GBASE-T KR		-	-	-	-	-	-
	SFP+		-	-	-	-	-	-
Advanced Analysis	Custom Serial		-	-	-	-	-	-
	8b/10b		-	-	-	-	-	-
	NRZ Serial		-	-	-	-	-	-
	PAM4		-	-	-	-	-	-
	Serial Data Link Analysis		-	-	-	-	-	-
	Jitter & Eye Diagram Analysis		-	-	-	-	-	-

SERIAL SUPPORT BY MDO PRODUCT SERIES AND REQUIRED OPTIONAL SOFTWARE

		3 Series MDO			MD03000 Series			
		Serial Standard	Decode & Search	Serial Trigger	Compliance Test	Decode & Search	Serial Trigger	Compliance Test
Embedded	I ² C		3-SREMBD	3-SREMBD	-	MD03EMBD	MD03EMBD	-
	SPI		3-SREMBD	3-SREMBD	-	MD03EMBD	MD03EMBD	-
	I3C		-	-	-	-	-	-
	RS-232/UART		3-SRCOMP	3-SRCOMP	-	MD03COMP	MD03COMP	-
	SPMI		-	-	-	-	-	-
	I ² S		3-SRAUDIO	3-SRAUDIO	-	MD03AUDIO	MD03AUDIO	-
Transportation	CAN		3-SRAUTO	3-SRAUTO	-	MD03AUTO	MD03AUTO	-
	CAN FD		3-SRAUTO	3-SRAUTO	-	MD03AUTO	MD03AUTO	-
	LIN		3-SRAUTO	3-SRAUTO	-	MD03AUTO	MD03AUTO	-
	FlexRay		3-SRAUTO	3-SRAUTO	-	MD03FLEX	MD03FLEX	-
	MOST		-	-	-	-	-	-
	SENT		-	-	-	-	-	-
	Automotive Ethernet		-	-	-	-	-	-
	ARINC 429		3-SRAERO	3-SRAERO	-	-	-	-
	MIL-STD-1553B		3-SRAERO	3-SRAERO	-	MD03AERO	MD03AERO	-
Computer / Peripherals	USB 2.0		3-SRUSB2	3-SRUSB2	-	MD03USB	MD03USB	-
	USB 3.0		-	-	-	-	-	-
	MIPI D-PHY		-	-	-	-	-	-
	MIPI M-PHY		-	-	-	-	-	-
	PCIe		-	-	-	-	-	-
	DiIWA		-	-	-	-	-	-
	DisplayPort		-	-	-	-	-	-
	HDMI		-	-	-	-	-	-
	MHL		-	-	-	-	-	-
	SATA		-	-	-	-	-	-
	SAS3		-	-	-	-	-	-
	Thunderbolt		-	-	-	-	-	-
	UHS-II		-	-	-	-	-	-
Memory	DDR		-	-	-	-	-	-
Datacom	Ethernet		-	-	-	-	-	-
	Comm. Mask Testing		-	-	-	-	-	MD03LMT
	Fibre Channel		-	-	-	-	-	-
	10GBASE-T KR		-	-	-	-	-	-
	SFP+		-	-	-	-	-	-
Advanced Analysis	Custom Serial		-	-	-	-	-	-
	8b/10b		-	-	-	-	-	-
	NRZ Serial		-	-	-	-	-	-
	PAM4		-	-	-	-	-	-
	Serial Data Link Analysis		-	-	-	-	-	-
	Jitter & Eye Diagram Analysis		-	-	-	-	-	-

SERIAL SUPPORT BY MSO/DPO PRODUCT SERIES AND REQUIRED OPTIONAL SOFTWARE

		MSO/DPO2000B Series			MSO/DPO5000B Series			
		Serial Standard	Decode & Search	Serial Trigger	Compliance Test	Decode & Search	Serial Trigger	Compliance Test
Embedded	I ² C		DPO2EMBD	DPO2EMBD	-	SR-EMBD	SR-EMBD	-
	SPI		DPO2EMBD	DPO2EMBD	-	SR-EMBD	SR-EMBD	-
	I3C		-	-	-	-	-	-
	RS-232/UART		DPO2COMP	DPO2COMP	-	SR-COMP	SR-COMP	-
	SPMI		-	-	-	-	-	-
	I ² S		-	-	-	-	-	-
Transportation	CAN		DPO2AUTO	DPO2AUTO	-	SR-AUTO	SR-AUTO	-
	CAN FD		-	-	-	-	-	-
	LIN		DPO2AUTO	DPO2AUTO	-	SR-AUTO	SR-AUTO	-
	FlexRay		-	-	-	SR-AUTO	SR-AUTO	-
	MOST		-	-	-	-	-	MOST
	SENT		-	-	-	-	-	-
	Automotive Ethernet		-	-	-	-	-	BRR
	ARINC 429		MDO3AERO	MDO3AERO	-	-	-	-
MIL-STD-1553B		-	-	-	SR-AERO	SR-AERO	-	
Computer / Peripherals	USB 2.0		-	-	-	SR-USB	SR-USB	USB2
	USB 3.0		-	-	-	-	-	-
	MIPI D-PHY		-	-	-	SR-DPHY	-	-
	MIPI M-PHY		-	-	-	-	-	-
	PCIe		-	-	-	SR-PCIE	-	-
	DiIWA		-	-	-	-	-	-
	DisplayPort		-	-	-	-	-	-
	HDMI		-	-	-	-	-	-
	MHL		-	-	-	-	-	-
	SATA		-	-	-	-	-	-
	SAS3		-	-	-	-	-	-
	Thunderbolt		-	-	-	-	-	-
	UHS-II		-	-	-	-	-	-
Memory	DDR		-	-	-	-	-	DDRA
Datacom	Ethernet		-	-	-	SR-ENET	SR-ENET	ET3
	Comm. Mask Testing		-	-	-	-	-	MTM
	Fibre Channel		-	-	-	-	-	-
	10GBASE-T KR		-	-	-	-	-	-
	SFP+		-	-	-	-	-	-
Advanced Analysis	Custom Serial		-	-	-	SR-CUST	-	-
	8b/10b		-	-	-	SR-810B	-	-
	NRZ Serial		-	-	-	-	-	-
	PAM4		-	-	-	-	-	-
	Serial Data Link Analysis		-	-	-	-	-	-
	Jitter & Eye Diagram Analysis		-	-	-	-	-	DJA (DJE incl. std), DJAN

Contact Information

Australia* 1 800 709 465
Austria 00800 2255 4835
Balkans, Israel, South Africa and other ISE Countries +41 52 675 3777
Belgium* 00800 2255 4835
Brazil +55 (11) 3759 7627
Canada 1 800 833 9200
Central East Europe / Baltics +41 52 675 3777
Central Europe / Greece +41 52 675 3777
Denmark +45 80 88 1401
Finland +41 52 675 3777
France* 00800 2255 4835
Germany* 00800 2255 4835
Hong Kong 400 820 5835
India 000 800 650 1835
Indonesia 007 803 601 5249
Italy 00800 2255 4835
Japan 81 (3) 6714 3086
Luxembourg +41 52 675 3777
Malaysia 1 800 22 55835
Mexico, Central/South America and Caribbean 52 (55) 56 04 50 90
Middle East, Asia, and North Africa +41 52 675 3777
The Netherlands* 00800 2255 4835
New Zealand 0800 800 238
Norway 800 16098
People's Republic of China 400 820 5835
Philippines 1 800 1601 0077
Poland +41 52 675 3777
Portugal 80 08 12370
Republic of Korea +82 2 565 1455
Russia / CIS +7 (495) 6647564
Singapore 800 6011 473
South Africa +41 52 675 3777
Spain* 00800 2255 4835
Sweden* 00800 2255 4835
Switzerland* 00800 2255 4835
Taiwan 886 (2) 2656 6688
Thailand 1 800 011 931
United Kingdom / Ireland* 00800 2255 4835
USA 1 800 833 9200
Vietnam 12060128

* European toll-free number. If not accessible, call: +41 52 675 3777

Rev. 02.2018

Find more valuable resources at TEK.COM

Copyright © Tektronix. All rights reserved. Tektronix products are covered by U.S. and foreign patents, issued and pending. Information in this publication supersedes that in all previously published material. Specification and price change privileges reserved. TEKTRONIX and TEK are registered trademarks of Tektronix, Inc. All other trade names referenced are the service marks, trademarks or registered trademarks of their respective companies.

050119 EA 65W-29028-12

